







Evaluation Kit Guide

Product Name	Description	Applications	Product Category
MM5120 EVK1 	High-performance evaluation board for MM5120 (w/Southwest connector QTY-5, DC-18 GHz - SP4T - 5.2 mm x 4.2 mm LGA)	<ul style="list-style-type: none"> • Tunable filters • Switched filters • PA impedance matching • Beam steering antennas • RF switch matrices • High-speed test/ATE 	RF Switches
MM5130 EVK1 	Standard evaluation board for MM5130 (w/SMA connector-QTY-7, 12 GHz)	<ul style="list-style-type: none"> • Tunable filters • Switched filters • PA impedance matching • Beam steering antennas • RF switch matrices 	RF Switches
MM5130 EVK2A 	High-performance evaluation board for MM5130 (w/Southwest connector QTY-7, 18 GHz improved performance)	<ul style="list-style-type: none"> • Tunable filters • Switched filters • PA impedance matching • Beam steering antennas • RF switch matrices 	RF Switches
MM5130 EVK3A 	High-performance evaluation board for MM5130 (Superport mode (w/Southwest connector QTY-6, 26 GHz improved performance)	<ul style="list-style-type: none"> • Tunable filters • Switched filters • PA impedance matching • Beam steering antennas • RF switch matrices 	RF Switches




Evaluation Kit Guide

Product Name	Description	Applications	Product Category
MM5140 EVK1 	Evaluation board for MM5140 (w/SMA connector-QTY-5, DC-8 GHz - SP4T - 5.2 mm x 4.2 mm LGA)	<ul style="list-style-type: none"> • Tunable filters • Switched filters • PA impedance matching • Beam steering antennas • RF switch matrices • High-speed test/ATE 	RF Switches
MM5230 EVK1 	Standard evaluation board for MM5230 (w/SMA connector-QTY-7, 12 GHz)	<ul style="list-style-type: none"> • Tunable filters • Switched filters • PA impedance matching • Beam steering antennas • RF switch matrices 	RF Switches
MM5230 EVK2A 	High-performance evaluation board for MM5230 (w/Southwest connector QTY-7, 18 GHz improved performance)	<ul style="list-style-type: none"> • Tunable filters • Switched filters • PA impedance matching • Beam steering antennas • RF switch matrices 	RF Switches
MM5230 EVK3A 	High-performance evaluation board for MM5230 Superport mode (w/Southwest connector QTY-6, 26 GHz improved performance)	<ul style="list-style-type: none"> • Tunable filters • Switched filters • PA impedance matching • Beam steering antennas • RF switch matrices 	RF Switches




Evaluation Kit Guide



Product Name	Description	Applications	Product Category
MM5600 EVK1 	Evaluation board for MM5600 (differential crossover mode, w/2.92mm connector-QTY-8), 40 Gbps - DPDT - 8mm x 8mm LGA	<ul style="list-style-type: none">• Differential High-Speed Switching• ATE-Device Interface Boards• High-Speed Computer Peripheral Interfaces	Data Switches
MM5600 EVK2 	Evaluation board for MM5600 (Dual SP3T single-ended mode, w/Rosenberger connector-QTY-10) DC-10 GHz - Dual SP3T - 8mm x 8mm LGA	<ul style="list-style-type: none">• Tunable filters• Switched filters• PA impedance matching• Beam steering antennas• RF switch matrices	Data Switches
MM5620 EVK2A 	High-performance evaluation board for MM5620 (Dual DPDT w/internal charge pump-loopback, w/Southwest connectors - QTY-16) DC-64 Gbps - 8.2mm x 8.2mm LGA	<ul style="list-style-type: none">• High-Speed Data Digital Component Testing• High-Speed Signal Routing• ATE Device Interface Boards• Optical-Electrical Module Testing• Differential Switch Matrices	Data Switches
MM5620 EVK2B 	High-performance evaluation board for MM5620 (Dual DPDT w/internal charge pump-loopback, w/Southwest connectors - QTY-8) DC-64 Gbps- 8.2mm x 8.2mm LGA	<ul style="list-style-type: none">• High-Speed Data Digital Component Testing• Optical-Electrical Module Testing• High-Speed Signal Routing• ATE Device Interface Boards• Differential Switch Matrices	Data Switches


Evaluation Kit Guide

Product Name	Description	Applications	Product Category
MM5622 EVK2A 	High-performance evaluation board for MM5622 (Dual DPDT w/internal charge pump-loopback, w/Southwest connectors - QTY-16) DC-64 Gbps - 8.2mm x 8.2mm LGA	<ul style="list-style-type: none"> High-Speed Data Digital Component Testing High-Speed Signal Routing ATE Device Interface Boards Optical-Electrical Module Testing Differential Switch Matrices 	Data Switches
MM5622 EVK2B 	High-performance evaluation board for MM5622 (Dual DPDT w/internal charge pump-loopback, w/Southwest connectors - QTY-8) DC-64 Gbps- 8.2mm x 8.2mm LGA	<ul style="list-style-type: none"> High-Speed Data Digital Component Testing Optical-Electrical Module Testing High-Speed Signal Routing ATE Device Interface Boards Differential Switch Matrices 	Data Switches
MM9110 EVK 	(1) SPST power relay prototype 270V/10AC _{RMS} /DC PIC16 µC Controlled with I2C interface Versions Available: AC Relay – MM9110 AC DC Relay – MM9110 DC	<ul style="list-style-type: none"> General purpose AC/DC Power Relay EMR and SSR replacement 	Smart Power
MM9200 EVK1 	Evaluation board for the MM9200 (High-Power SPST Micro-mechanical switch) Voltage Standoff: 300V (DC or AC_pk) Rated Continuous Current: 10Amps (AC_rms or DC) Low Ron Impedance: < 10 Milli-Ohms Fast Switching Times: 10usec's to Open / Close	<ul style="list-style-type: none"> LV Industrial Controls EMR and SSR replacement 	Power Management RF Switches



Evaluation Kit Guide



Product Name	Description	Applications	Product Category
MM9200 EVK2 	HF/VHF (DC - 150 MHz) Evaluation board for the MM9200 (High-Power SPST Micro-mechanical switch). SMA Connectors	<ul style="list-style-type: none">• Tunable filters• Switched filters• PA impedance matching• Beam steering antennas• RF switch matrices	Power Management RF Switches
MM101 EVK1 	Evaluation board for MM101 8-Channel – MEMS High-Voltage Driver- 5mm x 5mm QFN	<ul style="list-style-type: none">• Microelectromechanical Systems• Displays• High Voltage Driver Applications	Switch Driver